

OBL-FACW PERENNIAL FOOD & COVER WETLAND MIX: ERNMX-120

20.0%	<i>Elymus virginicus</i>	Virginia Wild Rye
15.0%	<i>Carex vulpinoidea</i>	Fox Sedge
10.0%	<i>Juncus effusus</i>	Soft Rush
8.0%	<i>Sparganium eurycarpum</i>	Giant Bur Reed
8.0%	<i>Verbena hastata</i>	Blue Vervain
6.0%	<i>Scirpus cyperinus</i>	Wool Grass
5.0%	<i>Aster novae-angliae</i>	New England Aster
5.0%	<i>Glyceria grandis</i>	American Mannagrass
5.0%	<i>Glyceria striata</i>	Fowl Mannagrass
4.0%	<i>Scirpus atrovirens</i>	Green Bulrush
3.5%	<i>Carex comosa</i>	Cosmos (Bristly) Sedge
3.5%	<i>Carex lurida</i>	Lurid (Shallow) Sedge
2.0%	<i>Carex lupulina</i>	Hop Sedge
2.0%	<i>Carex gynandra</i>	Nodding Sedge
2.0%	<i>Glyceria canadensis</i>	Rattlesnake Grass
1.0%	<i>Bromus altissima</i>	Wild Brome Grass

» SEED AT 15 BULK POUNDS PER ACRE «
 Price per pound: \$_____

FACW WETLAND MEADOW MIX ERNMX-122

20.0%	<i>Elymus virginicus</i>	Virginia Wild Rye
19.0%	<i>Carex vulpinoidea</i>	Fox Sedge
6.0%	<i>Scirpus atrovirens</i>	Green Bulrush
5.5%	<i>Verbena hastata</i>	Blue Vervain
5.0%	<i>Heliopsis helianthoides</i>	Ox-Eye Sunflower
3.0%	<i>Carex lurida</i>	Lurid/Shallow Sedge
3.0%	<i>Glyceria grandis</i>	American Mannagrass
3.0%	<i>Juncus effusus</i>	Soft Rush
2.5%	<i>Carex scoparia</i>	Blunt Broom Grass
2.5%	<i>Glyceria striata</i>	Fowl Mannagrass
2.5%	<i>Onoclea sensibilis</i>	Sensitive Fern
2.0%	<i>Carex comosa</i>	Cosmos/Bristly Sedge
2.0%	<i>Eupatorium fistulosum</i>	Joe Pye Weed
2.0%	<i>Eupatorium maculatum</i>	Spotted Joe Pye Weed
2.0%	<i>Helenium autumnale</i>	Common Sneezeweed
2.0%	<i>Iris versicolor</i>	Blue Flag
2.0%	<i>Mimulus ringens</i>	Square Stemmed Monkey Flower
2.0%	<i>Scirpus polyphyllus</i>	Many Leaved Bulrush

2.0%	<i>Vernonia gigantea</i>	Giant Ironweed
1.5%	<i>Carex lupulina</i>	Hop Sedge
1.0%	<i>Bromus altissima</i>	Wild Brome Grass
1.0%	<i>Carex stipata</i>	Awl Sedge
1.0%	<i>Geum laciniatum</i>	Rough Avens
1.0%	<i>Glyceria canadensis</i>	Rattlesnake Grass
1.0%	<i>Juncus tenuis</i>	Path Rush
1.0%	<i>Senna hebecarpa</i>	Wild Senna
0.5%	<i>Aster prenanthoides</i>	Zigzag Aster
0.5%	<i>Aster umbellatus</i>	Flat Topped White Aster
0.5%	<i>Carex tribuloides</i>	Bristlebract Sedge
0.5%	<i>Lilium superbum</i>	Turk's Cap Lilly
0.5%	<i>Ludwigia alternifolia</i>	Seedbox
0.5%	<i>Penthorum sedoides</i>	Ditch Stonecrop
0.5%	<i>Solidago patula</i>	Rough Leaved Goldenrod
0.5%	<i>Thalictrum pubescens</i>	Tall Meadow Rue
0.5%	<i>Veronia noveboracensis</i>	New York Ironweed

SEED AT 15 LBS PER ACRE OR 1/3 LB. to 1/2 LB. PER 1000 SQ. FT.
 Price per pound: \$_____

OBL WETLAND MIX: ERNMX-131

20.0%	<i>Carex vulpinoidea</i>	Fox Sedge
10.0%	<i>Sparganium eurycarpum</i>	Giant Bur Reed
7.0%	<i>Verbena hastata</i>	Blue Vervain
6.0%	<i>Glyceria canadensis</i>	Rattlesnake Grass
6.0%	<i>Scirpus atrovirens</i>	Green Bulrush
6.0%	<i>Scirpus polyphyllus</i>	Many Leaved Bulrush
5.0%	<i>Carex comosa</i>	Cosmos (Bristly) Sedge
5.0%	<i>Carex lurida</i>	Lurid (Shallow) Sedge
5.0%	<i>Glyceria striata</i>	Fowl Mannagrass
5.0%	<i>Juncus effusus</i>	Soft Rush
3.0%	<i>Carex crinita</i>	Fringed (Nodding) sedge
3.0%	<i>Iris versicolor</i>	Blue Flag
2.5%	<i>Carex scoparia</i>	Blunt Broom Sedge
2.5%	<i>Mimulus ringens</i>	Square Stemmed Monkey Flower

2.0%	<i>Carex stipata</i>	Awl Sedge
2.0%	<i>Eupatorium fistulosum</i>	Joe Pye Weed
2.0%	<i>Scirpus cyperinus</i>	Wool Grass
1.0%	<i>Carex baileyi</i>	Bailey's Sedge
1.0%	<i>Carex lupulina</i>	Hop Sedge
1.0%	<i>Helenium autumnale</i>	Common Sneezeweed
1.0%	<i>Scirpus validus</i>	Soft Stem Bulrush
1.0%	<i>Solidago patula</i>	Rough leaved Goldenrod
0.5%	<i>Aster puniceus</i>	Purple Stemmed Aster
0.5%	<i>Caltha palustris</i>	Marsh Marigold
0.5%	<i>Carex tuckermanii</i>	Tuckerman's Sedge
0.5%	<i>Lilium superbum</i>	Turk's cap Lilly
0.5%	<i>Penthorum sedoides</i>	Ditch Stonecrop
0.5%	<i>Scirpus acutus</i>	Hard Stemmed Bulrush

SEED AT 15 LBS PER ACRE OR 1/3 LB. to 1/2 LB. PER 1000 SQ. FT.
Price per pound: \$_____

SPECIALIZED WETLAND MIX FOR SHADED OBL-FACW Areas - ERNMX-137

25.0%	<i>Carex vulpinoidea</i>	Fox Sedge
25.0%	<i>Elymus virginicus</i>	Virginia Wild Rye
6.5%	<i>Carex gynandra</i>	Nodding Sedge
6.5%	<i>Rumex verticillatus</i>	Swamp Dock
6.0%	<i>Onoclea sensibilis</i>	Sensitive Fern
4.0%	<i>Carex comosa</i>	Cosmos Sedge
4.0%	<i>Carex lurida</i>	Lurid Sedge
4.0%	<i>Scirpus polyphyllus</i>	Many Leaved Bulrush
4.0%	<i>Scirpus atrovirens</i>	Green Bulrush
3.0%	<i>Iris versicolor</i>	Blue Flag
2.0%	<i>Carex folliculata</i>	Northern Long Sedge
2.0%	<i>Carex intumescens</i>	Bladder (Star) Sedge
2.0%	<i>Carex squarrosa</i>	Squarrose Sedge
2.0%	<i>Scirpus expansus</i>	Wood Bulrush
1.0%	<i>Aster umbellatus</i>	Flat Topped/Umbrella Aster
1.0%	<i>Carex baileyi</i>	Bailey's Sedge
1.0%	<i>Carex lupulina</i>	Hop Sedge
1.0%	<i>Sparganium americanum</i>	Eastern Bur Reed

SEED AT 15 LBS PER ACRE OR 1/3 LB. to 1/2 LB. PER 1000 SQ. FT.
Price per pound: \$_____

RIPARIAN BUFFER MIX: ERNMX-178

7.0%	<i>Panicum Virgatum</i>	Switch Grass
6.0%	<i>Elymus riparius</i>	Riverbank Wild Rye
6.0%	<i>Elymus virginicus</i>	Virginia Wild Rye
6.0%	<i>Setaria italica</i>	German Foxtail Millet
5.0%	<i>Andropogon gerardii, Niagara</i>	Niagara Big Bluestem
5.0%	<i>Andropogon scoparius</i>	Little Bluestem
5.0%	<i>Lolium multiflorum</i>	Annual Ryegrass
4.0%	<i>Cornus amomum</i>	Silky Dogwood
4.0%	<i>Rudbeckia hirta</i>	Black Eyed Susan
4.0%	<i>Sorghastrum nutans</i>	Indian Grass
4.0%	<i>Verbena hastata</i>	Blue Vervain
3.5%	<i>Heliopsis helianthoides</i>	Ox Eyed Sunflower/False
3.0%	<i>Chamaecrista fasciculata</i>	Partridge Pea
3.0%	<i>Glyceria striata</i>	Fowl Mannagrass
3.0%	<i>Hamamelis virginiana</i>	Witch Hazel
3.0%	<i>Rhus typhina</i>	Staghorn Sumac

3.0%	<i>Vernonia gigantea</i>	Giant Ironweed
3.0%	<i>Viburnum dentatum</i>	Arrow Wood
2.5%	<i>Helenium autumnale</i>	Common Sneezeweed
2.0%	<i>Asclepias syriaca</i>	Common Milkweed
2.0%	<i>Carex vulpinoidea</i>	Fox Sedge
2.0%	<i>Desmodium canadense</i>	Showy Tick Trefoil
2.0%	<i>Eupatorium fistulosum</i>	Joe Pye Weed
2.0%	<i>Juncus effusus</i>	Soft Rush
2.0%	<i>Penstemon digitalis</i>	Tall White Beard Tongue
2.0%	<i>Sambucus canadensis</i>	Elderberry
1.5%	<i>Eupatorium perfoliatum</i>	Boneset
1.0%	<i>Asclepias incarnata</i>	Swamp Milkweed
1.0%	<i>Aster Prenanthoides</i>	Zigzag Aster
1.0%	<i>Baptisia australis</i>	Blue False Indigo
1.0%	<i>Monarda fistulosa</i>	Wild Bergamot
0.5%	<i>Euthamia graminifolia</i>	Grass Leaved Goldenrod

SEED AT 15 LBS PER ACRE OR 1/3 LB. to 1/2 LB. PER 1000 SQ. FT.

Price per LB \$_____

WATERFOWL BUFFET MIX: ERNMX-175

30.0%	<i>Carex vulpinoidea</i>	Fox Sedge
17.0%	<i>Sparganium eurycarpum</i>	Giant Bur Reed
15.0%	<i>Carex lurida</i>	Lurid (Shallow) Sedge
12.0%	<i>Carex comosa</i>	Cosmos (Bristly) Sedge
10.0%	<i>Carex crinita</i>	Fringed (Nodding) Sedge
5.0%	<i>Juncus effusus</i>	Soft Rush
3.0%	<i>Carex lupulina</i>	Hop Sedge
3.0%	<i>Scirpus validus</i>	Soft Stem Bulrush
2.0%	<i>Carex scoparia</i>	Blunt Broom Sedge
2.0%	<i>Carex stipata</i>	Awl Sedge
0.5%	<i>Scirpus acutus</i>	Hard Stemmed Bulrush

SEED AT 15 LBS PER ACRE OR 1/3 LB. to 1/2 LB. PER 1000 SQ. FT.

Price per pound \$_____

WILDLIFE FOOD AND SHELTER SHRUB MIX ERNMX-138

20.0%	<i>Carex vulpinoidea</i>	Fox Sedge
15.0%	<i>Cornus amomum</i>	Silky Dogwood
15.0%	<i>Cornus racemosa</i>	Grey Dogwood
10.0%	<i>Elymus virginicus</i>	Virginia Wild Rye
10.0%	<i>Viburnum dentatum</i>	Arrow Wood
6.0%	<i>Carex lurida</i>	Lurid (Shallow) Sedge
5.0%	<i>Carex lupulina</i>	Hop Sedge
4.0%	<i>Rosa palustris</i>	Swamp Rose
3.0%	<i>Aralia spinosa</i>	Hercules' Club
3.0%	<i>Carex comosa</i>	Cosmos/Bristly Sedge
3.0%	<i>Spiraea tomentosa</i>	Steeple Bush
2.0%	<i>Carex stipata</i>	Awl Sedge
2.0%	<i>Lindera benzoin</i>	Spicebush
2.0%	<i>Viburnum lentago</i>	Nannyberry

SEED AT 15 LBS PER ACRE OR 1/3 LB. to 1/2 LB. PER 1000 SQ. FT.

Price per pound \$_____

FLOOD PLAIN WILDLIFE MIX: ERNMX-154

15.0%	<i>Carex vulpinoidea</i>	Fox Sedge
15.0%	<i>Elymus virginicus</i>	Virginia Wild Rye
11.0%	<i>Elymus villosus</i>	Silky Wild Rye
10.0%	<i>Andropogon gerardii, Niagara</i>	Niagara Big Bluestem
6.0%	<i>Verbena hastata</i>	Blue Vervain
5.0%	<i>Heliopsis helianthoides</i>	Ox Eye Sunflower
5.0%	<i>Panicum clandestinum</i>	Tioga Deer Tongue
4.0%	<i>Desmodium canadense</i>	Showy Tick Trefoil
3.0%	<i>Carex crinita</i>	Fringed (Nodding) Sedge
3.0%	<i>Iris versicolor</i>	Blue Flag
2.5%	<i>Helenium autumnale</i>	Common Sneezeweed
2.0%	<i>Asclepias syriaca</i>	Common Milkweed
2.0%	<i>Carex scoparia</i>	Blunt Broom Sedge

2.0%	<i>Carex stipata</i>	Awl Sedge
2.0%	<i>Carex vesicaria</i>	Inflated Sedge
2.0%	<i>Panicum virgatum, Shelter</i>	Shelter Switch Grass
2.0%	<i>Vernonia gigantea</i>	Giant ironweed
1.5%	<i>Monarda fistulosa</i>	Wild Bergamot
1.0%	<i>Aster novae-angliae</i>	New England Aster
1.0%	<i>Aster umbellatus</i>	Flat Topped White Aster
1.0%	<i>Carex squarrosa</i>	Squarrose Sedge
1.0%	<i>Carex tribuloides</i>	Bristlebract Sedge
1.0%	<i>Eupatorium fistulosum</i>	Joe Pye Weed
1.0%	<i>Epatorium maculatum</i>	Spotted Joe Pye Weed
1.0%	<i>Verbesina alternifolia</i>	Wingstem

» SEED AT 15 BULK POUNDS PER ACRE «

Price per pound: \$_____

RETENTION BASIN FLOOR SEEDING-LOW MAINTENANCE GRASS & GRASS-LIKE SPECIES MIX: ERNMX-126

20.0%	<i>Agrostis alba</i>	Redtop
20.0%	<i>Agrostis stolonifera</i>	Creeping Bentgrass
20.0%	<i>Carex vulpinoidea</i>	Fox Sedge
20.0%	<i>Elymus virginicus</i>	Virginia Wild Rye
20.0%	<i>Puccinellia distans</i>	Alkali Grass

» SEED AT 20 BULK POUNDS PER ACRE or 1/2 to 1lb per 1000 Sq Ft «
 Price per pound: \$_____

RETENTION BASIN FLOOR SEEDING FOR WILDLIFE & PLANT DIVERSITY MIX: ERNMX-127

25.0%	<i>Carex vulpinoidea</i>	Fox Sedge
25.0%	<i>Elymus virginicus</i>	Virginia Wild Rye
25.0%	<i>Poa palustris</i>	Fowl Bluegrass
5.0%	<i>Verbena hastata</i>	Blue Vervain
4.0%	<i>Scirpus atrovirens</i>	Green Bulrush
3.0%	<i>Juncus effusus</i>	Soft Rush
3.0%	<i>Sparganium eurycarpum</i>	Giant Bur Reed
2.0%	<i>Juncus tenuis</i>	Path Rush
2.0%	<i>Scirpus cyperinus</i>	Wool Grass
2.0%	<i>Scirpus polyphyllus</i>	Many Leaved Bulrush
1.0%	<i>Carex scoparia</i>	Blunt Broom sedge
1.0%	<i>Helenium autumnale</i>	Common Sneezeweed
1.0%	<i>Iris versicolor</i>	Blue Flag
1.0%	<i>Mimulus ringens</i>	Square Stemmed Monkey Flower

» SEED AT 20 BULK POUNDS PER ACRE «
 Price per pound: \$_____

CAROLINA FACW MEADOW MIX: ERNMX-182

60.0%	<i>Panicum rigidulum, NC Ecotype</i>	Redtop Panic Grass, NC Ecotype
10.0%	<i>Carex lupulina, NC Ecotype</i>	Hop Sedge, NC Ecotype
10.0%	<i>Juncus effusus, Cplain NC Ecotype</i>	Soft Rush, Coastal Plain NC Ecotype
7.0%	<i>Carex Lurida, NC/VA Ecotype Blend</i>	Lurid(Shallow)Sedge, NC/VA Ecotype Blend
5.0%	<i>Scirpus cyperinus, NC Ecotype</i>	Wool Grass, NC Ecotype
2.5%	<i>Saururus cernuus, NC Ecotype</i>	Lizard's Tail, NC Ecotype
2.0%	<i>Juncus coriaceous, NC Ecotype</i>	Leathery Rush
2.0%	<i>Carex Squarrosa, VA Ecotype</i>	Squarrose Sedge, VA Ecotype
1.5%	<i>Hibiscus moscheutos, Cplain NC Ecotype</i>	Crimsoneyed Rosemallow, Cplain Nc Ecotype

SEED AT 15 LBS PER ACRE OR 1/3 LB. to 1/2 LB. PER 1000 SQ FT

Price per pound: \$_____

Wetland Plant Species Indicators

Code	Wetland Type	Comment
OBL	Obligate Wetland	Occurs almost always (estimated probability 99%) under natural conditions in wetlands.
FACW	Facultative Wetland	Usually occurs in wetlands (estimated probability 67%-99%), but occasionally found in non-wetlands.
FAC	Facultative	Equally likely to occur in wetlands or non-wetlands (estimated probability 34%-66%).
FACU	Facultative Upland	Usually occurs in non-wetlands (estimated probability 67%-99%), but occasionally found on wetlands (estimated probability 1%-33%).
UPL	Obligate Upland	Occurs in wetlands in another region, but occurs almost always (estimated probability 99%) under natural conditions in non-wetlands in the regions specified. If a species does not occur in wetlands in any region, it is not on the National List.
NA	No agreement	The regional panel was not able to reach a unanimous decision on this species.
NI	No indicator	Insufficient information was available to determine an indicator status.
NO	No occurrence	The species does not occur in that region.

National Indicators reflect the range of estimated probabilities (expressed as a frequency of occurrence) of a species occurring in wetlands versus non-wetland across the entire distribution of the species. A frequency, for example, of 67%-99% (Facultative Wetland) means that 67%-99% of sample plots containing the species randomly selected across the range of the species would be wetland. When two indicators are given, they reflect the range from the lowest to the highest frequency of occurrence in wetlands across the regions in which the species is found. A positive (+) or negative (-) sign was used with the Facultative Indicator categories to more specifically define the regional frequency of occurrence in wetlands. The positive sign indicates a frequency toward the higher end of the category (more frequently found in wetlands), and a negative sign indicates a frequency toward the lower end of the category (less frequently found in wetlands). A question mark (?) following a National Indicator denotes a tentative assignment based on the botanical literature and not confirmed by regional review.

Regional Indicators express the estimated probability (likelihood) of a species occurring in wetlands versus non-wetlands in the region. Regional Indicators reflect the unanimous agreement of the Regional Interagency Review Panel. An asterisk (*) following a regional Indicator identifies tentative assignments based on limited information from which to determine the indicator status.

The wetland indicator categories should not be equated to degrees of wetness. Many obligate wetland species occur in permanently or semi-permanently flooded wetlands, but a number of obligates also occur in and some are restricted to wetlands which are only temporarily or seasonally flooded. The facultative upland species include a diverse collection of plants, which range from weedy species adapted to exist in a number of environmentally stressful or disturbed sites (including wetlands), to species in which a portion of the gene pool (an ecotype) always occurs in wetlands. Both the weedy and ecotype representatives of the facultative upland category occur in seasonally and semi-permanently flooded wetlands.

The codes, their corresponding regions, and states in each region are:

Code	Region	Geographic areas in region
1	Northeast	CT,DE,KY,MA,MD,ME,NH,NJ,NY,OH,PA,RI,VA,VT,WV
2	Southeast	AL,AR,FL,GA,LA,MS,NC,SC,TN
3	North Central	IA,IL,IN,MI,MN,MO,WI
4	North Plains	MT (Eastern),ND,SD,WY (Eastern)
5	Central Plains	CO(Eastern),NE,KS
6	South Plains	OK,TX
7	Southwest	AZ,NM
8	Intermountain	CO (Western),NV,UT
9	Northwest	ID,OR,MT (Western),WA,WY (Western)
0	California	CA
A	Alaska	AK
C	Caribbean	PR (Puerto Rico), VI (U.S. Virgin Isls.)
H	Hawaii	HI (Hawaiian Is.),AS (American Samoa),FM (Federated States of Micronesia), GU(Guam), MH(Marshal Islands), MP (Northern Mariana Islands), PW (Palau), UM (US Minor Outlying Islands)